

Official Remodeling Show Issue

Remodeling
Celebrates 20 Years

Remodeling

hanley wood

THE INDUSTRY SOURCE remodelingmagazine.com OCTOBER 2005
OFFICIAL PUBLICATION OF THE REMODELING SHOW

Visionary,
mentor, friend.
Walt Stoeppelwerth
has touched the
business lives of
generations of
remodelers
—page 100

Lifetime Achievement Award

Building a Brand


Why branding is a matter of keeping your company's promises—page 122

Staying on Schedule

How to create a realistic schedule that works for you and your clients—page 106




Nippura. Highest of the high tech, *Blue Ocean rear projection screens* promise sharp high-definition viewing and frameless, edge-to-edge projection. The screens are finely cast at an extreme thickness tolerance in high-grade acrylic monomer between two clear, optical cell-cast acrylic plates. Standard screen sizes are 72, 84, and 100 inches. 704.370.7720. www.usnippura.com. **Circle 118.**



Canton. The *Karat M 90 DC three-way floor speaker* has displacement-control technology that filters subsonic signals to prevent undesirable woofer excursions at very low frequencies, delivering more accurate bass, the maker says. The speaker also features a side-firing 10-inch woofer and a front baffle width of less than 7 inches. 612.706.9250. www.cantonusa.com. **Circle 119.**



Accell. The *HD15/VGA to 5 BNC cable* features five individual coaxial cables bundled together. All connectors and contacts are 24-karat gold-plated to maximize conductivity, and a ferrite core on the HD15 cable end reduces electromagnetic interference. 510.438.9288. www.accellcables.com. **Circle 120.**



Onkyo. Compatible with LCD or plasma displays, the *CB-SP1200 video display stand* has integrated left, right, and center channel speakers. The 17-by-47-inch stand is 17 inches deep and shines with a hand-rubbed black lacquer finish. Each speaker is magnetically shielded to prevent interference with video displays and has a frequency response of 50 Hz to 100 kHz. 800.229.1687. www.onkyo-usa.com. **Circle 121.**